

TITLE

```
receptor locus revealed by the lineage of retroelements during
            primate evolution
            J. Biol. Chem. 275 (25), 18664-18669 (2000)
 JOURNAL
 MEDLINE
            20317053
   PUBMED
            10764769
            PROVISIONAL REFSEQ: This record has not yet been subject to final
COMMENT
            NCBI review. The reference sequence was derived from X06562.1.
            Summary: Biologically active growth hormone (MIM 139250) binds its
            transmembrane receptor (GHR), which dimerizes to activate an
            intracellular signal transduction pathway leading to synthesis and
            secretion of insulin-like growth factor I (IGF1; MIM 147440). In
            plasma, IGF1 binds to the soluble IGF1 receptor (IGF1R; MIM
            147370). At target cells, this complex activates
            signal-transduction pathways that result in the mitogenic and
            anabolic responses that lead to growth.[supplied by OMIM].
                     Location/Qualifiers
FEATURES
                     1..4414
     source
                     /organism="Homo sapiens"
                     /db xref="taxon:9606"
                     /chromosome="5"
                     /map="5p13-p12"
                     /clone="ghr.262, ghr.210, ghr.501, ghr.110, ghr.281"
                     /clone lib="liver cDNA in lambda gt10"
                     1..4414
     gene
                     /gene="GHR"
                     /db xref="LocusID:2690"
                     /db xref="MIM: 600946"
                     44..1960
     CDS
                     /gene="GHR"
                     /codon start=1
                     /product="growth hormone receptor"
                     /protein id="NP 000154.1"
                     /db xref="GI:4503993"
                     /db xref="LocusID: 2690"
                     /db xref="MIM:600946"
                     translation="MDLWQLLLTLALAGSSDAFSGSEATAAILSRAPWSLQSVNPGLK/
                     TNSSKEPKFTKCRSPERETFSCHWTDEVHHGTKNLGPIQLFYTRRNTQEWTQEWKECP
                     DYVSAGENSCYFNSSFTSIWIPYCIKLTSNGGTVDEKCFSVDEIVQPDPPIALNWTLL
                     NVSLTGIHADIQVRWEAPRNADIQKGWMVLEYELQYKEVNETKWKMMDPILTTSVPVY
                     SLKVDKEYEVRVRSKQRNSGNYGEFSEVLYVTLPQMSQFTCEEDFYFPWLLIIIFGIF
                     GLTVMLFVFLFSKQQRIKMLILPPVPVPKIKGIDPDLLKEGKLEEVNTILAIHDSYKP
                     EFHSDDSWVEFIELDIDEPDEKTEESDTDRLLSSDHEKSHSNLGVKDGDSGRTSCCEP
                     DILETDFNANDIHEGTSEVAQPQRLKGEADLLCLDQKNQNNSPYHDACPATQQPSVIQ
                     AEKNKPQPLPTEGAESTHQAAHIQLSNPSSLSNIDFYAQVSDITPAGSVVLSPGQKNK
                     AGMSQCDMHPEMVSLCQENFLMDNAYFCEADAKKCIPVAPHIKVESHIQPSLNQEDIY
                     ITTESLTTAAGRPGTGEHVPGSEMPVPDYTSIHIVQSPQGLILNATALPLPDKEFLSS
                     CGYVSTDQLNKIMP"
                     488..742
     misc feature
                     /gene="GHR"
                     /note="FN3; Region: Fibronectin type 3 domain"
                      /db xref="CDD:smart00060"
     misc feature
                     524..775
                     /gene="GHR"
                      /note="fn3; Region: Fibronectin type III domain"
                      /db xref="CDD:pfam00041"
                      579
     variation
                      /gene="GHR"
                      /allele="A"
                      /allele="G"
                      /db xref="dbSNP:6181"
```

1 45 - V. V

```
601
    variation
                     /gene="GHR"
                     /allele="A"
                     /allele="G"
                     /db_xref="dbSNP:6179"
                     601
    variation
                     /gene="GHR"
                     /note="a is g in ghr.262 and ghr.501"
    variation
                     729
                     /gene="GHR"
                     /allele="A"
                     /allele="G"
                     /db xref="dbSNP:6177"
                     1167
    variation
                     /gene="GHR"
                     /note="g is u in ghr.501"
                     1362
    variation
                     /gene="GHR"
                     /allele="G"
                     /allele="T"
                     /db xref="dbSNP: 6182"
                     1516
    variation
                     /gene="GHR"
                     /allele="C"
                     /allele="T"
                     /db xref="dbSNP: 6176"
                     1526
    variation
                     /gene="GHR"
                     /allele="A"
                     /allele="C"
                     /db xref="dbSNP: 6183"
                     1673
    variation
                     /gene="GHR"
                     /allele="A"
                     /allele="C"
                     /db xref="dbSNP: 6180"
                     1778
    variation
                     /gene="GHR"
                     /allele="A"
                      /allele="C"
                      /db_xref="dbSNP:6184"
                      complement (2260)
    variation
                      /allele="C"
                      /allele="T"
                      /db xref="dbSNP:<u>2910875</u>"
                      2479
    variation
                      /gene="GHR"
                      /note="c is u in ghr.110"
                      3751
     variation
                      /gene="GHR"
                      /allele="A"
                      /allele="G"
                      /db_xref="dbSNP:2973016"
                      4342..4347
     misc feature
                      /gene="GHR"
                      /note="pot. polyA signal"
                      4414
     polyA site
                      /gene="GHR"
                      /note="polyA site"
                                            1275 t
                                    869 g
               1398 a
                          872 c
BASE COUNT
```

MODE Dodaomo + 10110

```
1 ccgcgctctc tgatcagagg cgaagctcgg aggtcctaca ggtatggatc tctggcagct
 61 gctgttgacc ttggcactgg caggatcaag tgatgctttt tctggaagtg aggccacagc
121 agctatectt ageagageae eetggagtet geaaagtgtt aateeaggee taaagaeaaa
181 ttcttctaag gagcctaaat tcaccaagtg ccgttcacct gagcgagaga ctttttcatg
241 ccactggaca gatgaggttc atcatggtac aaagaaccta ggacccatac agctgttcta
 301 taccagaagg aacactcaag aatggactca agaatggaaa gaatgccctg attatgtttc
361 tgctggggaa aacagctgtt actttaattc atcgtttacc tccatctgga taccttattg
421 tatcaagcta actagcaatg gtggtacagt ggatgaaaag tgtttctctg ttgatgaaat
 481 agtgcaacca gatccaccca ttgccctcaa ctggacttta ctgaacgtca gtttaactgg
541 gattcatgca gatatccaag tgagatggga agcaccacgc aatgcagata ttcagaaagg
 601 atggatggtt ctggagtatg aacttcaata caaagaagta aatgaaacta aatggaaaat
661 gatggaccct atattgacaa catcagttcc agtgtactca ttgaaagtgg ataaggaata
721 tgaagtgcgt gtgagatcca aacaacgaaa ctctggaaat tatggcgagt tcagtgaggt
 781 gctctatgta acacttcctc agatgagcca atttacatgt gaagaagatt tctactttcc
841 atggctctta attattatct ttggaatatt tgggctaaca gtgatgctat ttgtattctt
901 attttctaaa cagcaaagga ttaaaatgct gattctgccc ccagttccag ttccaaagat
 961 taaaggaatc gatccagatc tcctcaagga aggaaaatta gaggaggtga acacaatctt
1021 agccattcat gatagctata aacccgaatt ccacagtgat gactcttggg ttgaatttat
1081 tgagctagat attgatgagc cagatgaaaa gactgaggaa tcagacacag acagacttct
1141 aagcagtgac catgagaaat cacatagtaa cctaggggtg aaggatggcg actctggacg
1201 taccagetgt tgtgaacetg acattetgga gaetgattte aatgeeaatg acatacatga
1261 gggtacctca gaggttgctc agccacagag gttaaaaggg gaagcagatc tcttatgcct
1321 tgaccagaag aatcaaaata actcacctta tcatgatgct tgccctgcta ctcagcagcc
1381 cagtgttatc caagcagaga aaaacaaacc acaaccactt cctactgaag gagctgagtc
1441 aactcaccaa gctgcccata ttcagctaag caatccaagt tcactgtcaa acatcgactt
1501 ttatgcccag gtgagcgaca ttacaccagc aggtagtgtg gtcctttccc cgggccaaaa
1561 gaataaggca gggatgtccc aatgtgacat gcacccggaa atggtctcac tctgccaaga
1621 aaacttoott atggacaatg cotacttotg tgaggcagat gocaaaaagt gcatcootgt
1681 ggctcctcac atcaaggttg aatcacacat acagccaagc ttaaaccaag aggacattta
1741 catcaccaca gaaagcetta ecaetgetge tgggaggeet gggacaggag aacatgttee
1801 aggttetgag atgeetgtee cagaetatae etecatteat atagtacagt ecceacaggg
1861 cctcatactc aatgcgactg ccttgccctt gcctgacaaa gagtttctct catcatgtgg
1921 ctatgtgagc acagaccaac tgaacaaaat catgccttag cctttctttg gtttcccaag
1981 agctacgtat ttaatagcaa agaattgact ggggcaataa cgtttaagcc aaaacaatgt
2041 ttaaaccttt tttgggggag tgacaggatg gggtatggat tctaaaatgc cttttcccaa
2101 aatgttgaaa tatgatgtta aaaaaataag aagaatgctt aatcagatag atattcctat
2161 tgtgcaatgt aaatatttta aagaattgtg tcagactgtt tagtagcagt gattgtctta
2221 atattgtggg tgttaatttt tgatactaag cattgaatgg ctatgttttt aatgtatagt
2281 aaatcacgct ttttgaaaaa gcgaaaaaat caggtggctt ttgcggttca ggaaaattga
2341 atgcaaacca tagcacaggc taattttttg ttgtttctta aataagaaac ttttttattt
2401 aaaaaactaa aaactagagg tgagaaattt aaactataag caagaaggca aaaatagttt
2461 ggatatgtaa aacatttact ttgacataaa gttgataaag attttttaat aatttagact
2521 tcaagcatgg ctattttata ttacactaca cactgtgtac tgcagttggt atgacccctc
2581 taaggagtgt agcaactaca gtctaaagct ggtttaatgt tttggccaat gcacctaaag
2641 aaaaacaaac tcgtttttta caaagccctt ttatacctcc ccagactcct tcaacaattc
2701 taaaatgatt gtagtaatct gcattattgg aatataattg ttttatctga atttttaaac
2761 aagtatttgt taatttagaa aactttaaag cgtttgcaca gatcaactta ccaggcacca
2821 aaagaagtaa aagcaaaaaa gaaaaccttt cttcaccaaa tcttggttga tgccaaaaaa
2881 aaatacatgc taagagaagt agaaatcata gctggttcac actgaccaag atacttaagt
2941 gctgcaattg cacgcggagt gagtttttta gtgcgtgcag atggtgagag ataagatcta
3001 tagcctctgc agcggaatct gttcacaccc aacttggttt tgctacataa ttatccagga
3061 agggaataag gtacaagaag cattttgtaa gttgaagcaa atcgaatgaa attaactggg
3121 taatgaaaca aagagttcaa gaaataagtt tttgtttcac agcctataac cagacacata
3181 ctcatttttc atgataatga acagaacata gacagaagaa acaaggtttt cagtccccac
3241 agataactga aaattattta aaccgctaaa agaaactttc tttctcacta aatcttttat
3301 aggatttatt taaaatagca aaagaagaag tttcatcatt ttttacttcc tctctgagtg
3361 gactggcctc aaagcaagca ttcagaagaa aaagaagcaa cctcagtaat ttagaaatca
3421 ttttgcaatd cottaatato ctaaacatca ttcatttttg ttgttgttgt tgttgttgag
3481 acagagtete getetgtege caggetagag tgeggtggeg egatettgae teaetgeaat
```

```
3541 ctccacctc cacaggitca ggcgattcc gtgcctcage ctcctgagta gctgggacta 3601 caggcacgca ccaccatgc aggctaattt tittgtattt tagcagagac ggggtttcac 3661 catgitggc aggatggtet cgagtetect gacetegtga tecaceegae teggeetece 3721 aaagtgetgg gattacaggt gtaageeaee gtgcccagee ctaaacatea tiettgagag 3781 cattgggata tetectgaaa aggittatga aaaagaagaa teeteatetea gtgaagaata 3841 etteteattt titaaaaaaag ettaaaaett tgaagttage titaacetiaa atagtatte 3901 ccaittateg cagacetitt tiaggaagea agettaatgg etgataatit taaatteet 3961 etetigeagg aaggaetatg aaaagetaga attgagtgit taaagiteaa catgitatit 4021 gtaatagatg titgatagat titetgetae titgetgeta tiggittee caagagetaee 4081 ataattiagt ticataataa gtateateag tigagaacet aatteeate 4201 getaaataee teaateagte teagaatgie attitggiae eagiteate 4201 getaaataee teaateagte teagaatgie attitiggiae tittiggigee acaaaaata 4201 getaaataee teaateagte teagaatgie attitiggiae tittiggigee acaaaaata 4201 ggattitte etteaaagte taataaatt attiteetigg aggittitee etteaaagte 4321 ggattitte etteaaagte taataaatti aattiteetigg atteetigata atggettet 4321 ggattitte etteaaagte taataaatti aattiteetigg atteetiga atggettet 4381 gttateaaa accaacataa aaatgateta aaaagee
```

Revised: July 5, 2002.

//

<u>Disclaimer | Write to the Help Desk</u> <u>NCBI | NLM | NIH</u>

Dec 13 2002 14:41:17



HyPhy Documentation: Amino Acid Translation Table: Rate distributions

Note: This table is identical to PHYLIP's translation table.

Character	Translation
A	Alanine (Ala)
C	Cysteine (Cys)
D	Aspartic Acid (Asp)
C D E	Glutamin Acid (Glu)
F	Phenylalanine (Phe)
G	Glycine (Gly)
H	Histidine (His)
I	Isoleucine (Ile)
K	Lysine (Lys)
L	Leucine (Leu)
M	Methionine (Met)
N	Asparagine (Asn)
P	Proline (Pro)
Q	Glutamine (Gln)
R	Arginine (Arg)
	Serine (Ser)
T	Threonine (Thr)
V	Valine (Val)
W	Tryptophan (Trp)
Y	Tyrosine (Tyr)
В	D or N (Asn or Asp)
Z	E or Q (Gln or Glu)
X,?	Unknown amino acid (any of the 20)
-	Skipped or unknown (see <u>Deletions and</u> <u>Ambiguities</u> )
	For sequential file formats is interpreted as '?'. For interleaved formats singnals that '.' should be replaced with the character at the same position in the first sequence.

HYPHY provides means for defining custom alphabets and translations. In particular, HYPHY recognizes relevant NEXUS blocks. However one must be careful with custom alphabets since they require model redefinitions.

Sergei L. Kasakovsky Pond and Spencer V. Muse.

G	>	C	<b>C</b>	
GUU GUG	AUC AUA AUG	CUA CUA	UUU UUU UUU	
Val Val	Ile Met	Leu Leu Leu	Phe Phe Leu Leu	
900 900 909	ACU ACA ACG	CCA CCA	UCU UCA UCG	C
Ala Ala Ala	Thr Thr The	Pro Pro Pro	Ser Ser Ser	
GAU GAA GAG	AAC AAC AAG	CAU CAC CAA	UAU UAC UAA UAG	<b>&gt;</b>
Asp Asp Glu Glu	Asn Asn Lys Lys	His Gin	Tyr Tyr End End	
660 660 660	AGU AGA AGG	CGU CGA CGG	UGU UGA UGG	G
Gly Gly Gly	Ser Ser Arg	Arg Arg Arg	Cys Cys End Trp	

i

	•			•
-			•	
	week and the second of the sec			
		•		•
		·		
. *	•			
			-	
		•		
*				
				•
				·.
		•	•	
		•		
			•	
				•
•			•	
. '				
		•		